

Old Regulation Title	Old Regulation Number	Offshore Petroleum Safety Regulations 2009 Number	Title in Offshore Petroleum Safety Regulations 2009	Change between Regulations Y/N	Change Description
DSR	1	1.1	Name of Regulations	Y	Regulation name change
DSR	2	1.2	Commencement	Y	Date change
DSR	4	1.5	Definitions	Y	Section contains previous definitions from DSR apart from "pipeline" and "pipeline safety management plan". The definitions correctly reference the Act and OPS regs. The "facility" and "operator" terms has changed from previous.
DSR	18	4.14	Diving project plan to Safety Authority if requested	N	
DSR	34	5.1	Definitions	Y	"old regulations" and "designated authority" term no longer applies in this section of the OPS regs
DSR	35	5.10	Existing DSMS remain in force	Y	Changed to reflect OPS regs replace DSR
DSR	39	5.13(a),(b)	Existing diving project plans remain in force	Y	Changed to reflect OPS regs replace DSR
DSR	42			Y	No longer applies in the OPS regs
DSR	10(1)	4.6(1)	Acceptance of revised DSMS	N	
DSR	10(2)(a),(b)	4.6(2)(a),(b)	Acceptance of revised DSMS	Y	DSR 10(2)(a),(b) has been split into 4.6(2)(a),(b) and 4.6(3) in the OPS regs.  10(2) The Safety Authority must notify the diving contractor that the revised DSMS has been accepted or rejected within: (a) 28 days after receiving the revised DSMS; or (b) another period agreed between the Safety Authority and the diving contractor.  4.6(2) The Safety Authority must accept or reject the DSMS within: (a) 28 days after receiving the revised DSMS; or (b) another period agreed between the Safety Authority and the diving contractor.  4.6(3) As soon as practical after making a decision under subregulation (2), the Safety Authority must notify the diving contractor of its decision.
DSR	10(2)(a),(b)	4.6(3)	Acceptance of revised DSMS	Y	DSR 10(2)(a),(b) has been split into 4.6(2)(a),(b) and 4.6(3) in the OPS regs.  10(2) The Safety Authority must notify the diving contractor that the revised DSMS has been accepted or rejected within: (a) 28 days after receiving the revised DSMS; or (b) another period agreed between the Safety Authority and the diving contractor.  4.6(2) The Safety Authority must accept or reject the DSMS within: (a) 28 days after receiving the revised DSMS; or (b) another period agreed between the Safety Authority and the diving contractor.  4.6(3) As soon as practical after making a decision under subregulation (2), the Safety Authority must notify the diving contractor of its decision.
DSR	11(a),(b)	4.7(a),(b)	Grounds for rejecting DSMS	Y	No change apart from references the correct regulation in the OPS regs.
DSR	12(1)	4.8(1)	Notice of reasons	Y	No change apart from references the regulation in the OPS regs. Noter reference is incorrect.
DSR	12(2)	4.8(2)	Notice of reasons	Y	No change apart from references the regulation in the OPS regs. Noter reference is incorrect.
DSR	13(1)	4.9(1)	Register of DSMSs	N	
DSR	13(2)(a),(b),(c),(d),(e),(f)	4.9(2)(a),(b),(c),(d),(e),(f)	Register of DSMSs	Y	No change apart from references the correct regulation in the OPS regs.
DSR	13(3)(a),(b),(c),(d)	4.9(3)(a),(b),(c),(d)	Register of DSMSs	Y	No change apart from references the correct regulation in the OPS regs.
DSR	14(a),(b),(c),(d),(e)(i)(ii)	4.10(a),(b),(c),(d),(e)(i)(ii)	Revision of DSMS	Y	No change apart from references the correct regulation in the OPS regs.
DSR	15(1)	4.11(1)	Notice to revise DSMS	N	
DSR	15(2)(a),(b),(c)	4.11(2)(a),(b),(c)	Notice to revise DSMS	N	
DSR	15(3)(a),(b),(c)	4.11(3)(a),(b),(c)	Notice to revise DSMS	N	
DSR	15(4)(a),(b),(c)	4.11(4)(a),(b),(c)	Notice to revise DSMS	N	
DSR	15(5)	4.11(5)	Notice to revise DSMS	N	
DSR	15(6)	4.11(6)	Notice to revise DSMS	N	
DSR	16(1)	4.12(1)	Diving project plan to be approved	N	
DSR	16(2)	4.12(2)	Diving project plan to be approved	N	

Old Regulation Title	Old Regulation Number	Offshore Petroleum Safety Regulations 2009 Number	Title in Offshore Petroleum Safety Regulations 2009	Change between Regulations Y/N	Change Description
DSR	16(3)	4.12(3)	Diving project plan to be approved	N	
DSR	16(4)(a),(b)	4.12(4)(a),(b)	Diving project plan to be approved	Y	No change apart from references the correct regulations in the OPS regs.
DSR	17(1)	4.13(1)	Diving project plan to Safety Authority if there is no operator	N	
DSR	17(2)	4.13(2)	Diving project plan to Safety Authority if there is no operator	N	
DSR	17(3)(a),(b)	4.13(3)(a),(b),(c)	Diving project plan to Safety Authority if there is no operator	Y	No change between 17(3)(a),(b) and 4.13(3)(a),(b) apart from references the correct regulations in the OPS regs. 4.13(3)(c) is a new statement.
DSR	19(1)	4.15(1)	Updating diving project plan	N	
DSR	19(2)(a),(b)	4.15(2)(a),(b)	Updating diving project plan	N	
DSR	19(3)	4.15(3)	Updating diving project plan	N	
DSR	20(1)(a),(b),(c),(d),(e),(f),(g),(h),(i),(j)	4.16(1)(a),(b),(c),(d),(e),(f),(g),(h),(i),(j)	Contents of diving project plan	Y	No change apart from 4.16(i) where reference to the PSMP has been removed this is now covered under the safety case.
DSR	20(2)	4.16(2)	Contents of diving project plan	N	
DSR	20(3)	4.16(3)	Contents of diving project plan	N	
DSR	20(4)(a),(b),(c),(d)	4.16(4)(a),(b),(c),(d)	Contents of diving project plan	N	
DSR	21(1)(a),(b)	4.17(1)(a),(b)	No diving without approved diving project plan	N	
DSR	21(2)	4.17(2)	No diving without approved diving project plan	N	
DSR	22(1)(a),(b)	4.18(1)(a),(b)	Involvement of divers and members of the workforce in DSMS and diving project plan	N	
DSR	22(2)(a),(b)	4.18(2)(a),(b)	Involvement of divers and members of the workforce in DSMS and diving project plan	N	
DSR	23(1)	4.19(1)	Safety responsibilities of diving contractors	N	
DSR	23(2)	4.19(2)	Safety responsibilities of diving contractors	N	
DSR	23(3)	4.19(3)	Safety responsibilities of diving contractors	N	
DSR	24(1)(a),(b),(c)	4.20(1)(a),(b),(c)	Safety in the diving area	N	
DSR	24(2)(a),(b)	4.20(2)(a),(b)	Safety in the diving area	Y	No change apart from references the correct regulations in the OPS regs.
DSR	24(3)	4.20(3)	Safety in the diving area	N	
DSR	25(1)	4.21(1)	Diving depths	N	
DSR	25(2)	4.21(2)	Diving depths	N	
DSR	25(3)(a),(b)	4.21(3)(a),(b)	Diving depths	N	
DSR	25(4)(a),(b)	4.21(4)(a),(b)	Diving depths	N	
DSR	26(1)	4.22(1)	Appointment of diving supervisors	Y	No change apart from references the correct regulations in the OPS regs.
DSR	26(2)(a),(b)	4.22(2)(a),(b)	Appointment of diving supervisors	N	
DSR	26(3)	4.22(3)	Appointment of diving supervisors	N	
DSR	27(1)(a)(i)(ii)(iii)(iv),(b),(c)(i)(ii)(iii)(iv)(v)(vi)(vii)(viii)	4.23(1)(a)(i)(ii)(iii)(iv),(b),(c)(i)(ii)(iii)(iv)(v)(vi)(vii)(viii)	Duties of diving supervisors	N	
DSR	27(1)(d)(i)(ii)(iii)(iv)	4.23(6)	Duties of diving supervisors	Y	No change apart from references the correct regulations in the Act and OPS regs.
DSR	27(2)	4.23(2)	Duties of diving supervisors	N	
DSR	27(3)	4.23(3)	Duties of diving supervisors	N	
DSR	27(4)	4.23(4)	Duties of diving supervisors	N	
DSR	27(5)	4.23(5)	Duties of diving supervisors	N	
DSR	28(1)(a),(b),(c),(d),(e),(f),(g),(h),(i),(j)	4.24(1)(a),(b),(c),(d),(e),(f),(g),(h),(i),(j)	Start-up notice	N	
DSR	28(2)(a),(b)	4.24(2)(a),(b)	Start-up notice	N	
DSR	28(3)(a),(b)	4.24(3)(a),(b)	Start-up notice	N	
DSR	3			Y	No longer applies in the OPS regs
DSR	30(1)	4.25(1)	Divers in diving operations	N	
DSR	30(2)	4.25(2)	Divers in diving operations	N	

Old Regulation Title	Old Regulation Number	Offshore Petroleum Safety Regulations 2009 Number	Title in Offshore Petroleum Safety Regulations 2009	Change between Regulations Y/N	Change Description
DSR	30(3)	4.25(3)	Divers in diving operations	N	
DSR	30(4)	4.25(4)	Divers in diving operations	N	
DSR	30(5)	4.25(5)	Divers in diving operations	Y	No change apart from references the correct regulations in the OPS regs.
DSR	30(6)	4.25(6)	Divers in diving operations	Y	No change apart from references the correct regulations in the OPS regs.
DSR	30(7)(a),(b)	4.25(7)(a),(b)	Divers in diving operations	N	
DSR	30(8)	4.25(8)	Divers in diving operations	N	
DSR	30(9)	4.25(9)	Divers in diving operations	N	
DSR	31(1)	4.26(1)	Medical certificates	N	
DSR	31(2)(a),(b),(c)(i)(ii)(iii),(d),(e)	4.26(2)(a),(b),(c)(i)(ii)(iii),(d),(e)	Medical certificates	N	
DSR	31(3)	4.26(3)	Medical certificates	N	
DSR	32(1)	4.27(1)	Diving operations record	N	
DSR	32(2)(a),(b)	4.27(2)(a),(b)	Diving operations record	N	
DSR	32(3)	4.27(3)	Diving operations record	N	
DSR	32(4)(a),(b),(c),(d),(e),(f),(g),(h),(i),(j),(k),(l),(m),(n),(o),(p)	4.27(4)(a),(b),(c),(d),(e),(f),(g),(h),(i),(j),(k),(l),(m),(n),(o),(p)	Diving operations record	N	
DSR	32(5)(a)(i)(ii),(b)	4.27(5)(a)(i)(ii),(b)	Diving operations record	N	
DSR	32(6)	4.27(6)	Diving operations record	N	
DSR	33(1)(a),(b)(i)(ii)(iii),(c)	4.28(1)(a),(b)(i)(ii)(iii),(c)	Divers' log books	N	
DSR	33(2)(a),(b),(c),(d),(e),(f)	4.28(2)(a),(b),(c),(d),(e),(f)	Divers' log books	N	
DSR	33(3)(a),(b),(c),(d),(e),(f),(g),(h),(i),(j)	4.28(3)(a),(b),(c),(d),(e),(f),(g),(h),(i),(j)	Divers' log books	N	
DSR	33(4)	4.28(4)	Divers' log books	N	
DSR	36(1)(a),(b)(i)(ii),(c),(d),(e),(f)			Y	No longer applies in the OPS regs
DSR	36(2)			Y	No longer applies in the OPS regs
DSR	37(1)(a),(b)			Y	No longer applies in the OPS regs
DSR	37(2)(a),(b)			Y	No longer applies in the OPS regs
DSR	38(a)	5.12(1)	Notices taken to be given by Safety Authority	Y	Changed to reflect OPS regs replace DSR
DSR	38(b)	5.12(2)	Notices taken to be given by Safety Authority	Y	Changed to reflect OPS regs replace DSR
DSR	40(1)			Y	No longer applies in the OPS regs
DSR	40(2)(a),(b),(c)			Y	No longer applies in the OPS regs
DSR	40(3)(a),(b)			Y	No longer applies in the OPS regs
DSR	40(4)			Y	No longer applies in the OPS regs
DSR	41(1)(a)(i)(ii),(b),(c)			Y	No longer applies in the OPS regs
DSR	41(2)			Y	No longer applies in the OPS regs
DSR	41(3)			Y	No longer applies in the OPS regs
DSR	41(4)			Y	No longer applies in the OPS regs
DSR	5(1)(a)(i)(ii)(iii)	4.1(1)(a),(b),(c)	Meaning of diving	Y	Numbering change only
DSR	5(1)(b)	4.1(2)	Meaning of diving	N	
DSR	5(2)(a),(b)	4.1(3)(a),(b)	Meaning of diving	N	
DSR	6(a)	4.2(1)	When a diving operation begins and ends	N	
DSR	6(b)	4.2(2)	When a diving operation begins and ends	Y	Negligible change, removal of the term "For these regulations"
DSR	6(c)	4.2(3)	When a diving operation begins and ends	Y	Negligible change, removal of the term "For these regulations"
DSR	7(1)(a)(i)(ii),(b)	4.3(1)(a)(i)(ii),(b)	No diving without DSMS	N	
DSR	7(2)(a),(b)	4.3(2)(a),(b)	No diving without DSMS	N	
DSR	7(3)(a),(b)	4.3(3)(a),(b)	No diving without DSMS	N	
DSR	7(4)(a),(b)	4.3(4)(a),(b)	No diving without DSMS	N	
DSR	7(5)	4.3(5)	No diving without DSMS	Y	No change apart from references the correct regulation in the OPS regs.

Old Regulation Title	Old Regulation Number	Offshore Petroleum Safety Regulations 2009 Number	Title in Offshore Petroleum Safety Regulations 2009	Change between Regulations Y/N	Change Description
DSR	8(1)	4.4(1)	Contents of DSMS	Y	Text simplified to remove reference to a specific guideline.  8(1) A DSMS must meet the minimum standards set out in the Guidelines for complying with the Petroleum (Submerged Lands) (Diving Safety) Regulations 2002, as existing from time to time, published by the Safety Authority.  4.4(1) A DSMS must meet the minimum standards set out in guidelines made by the Safety Authority for this subregulation, as in force from time to time.
DSR	8(2)(a),(b),(c),(d)(i)(ii),(e)(i)(ii),(f),(g),(h)(i)	4.4(2)(a),(b),(c),(d)(i)(ii),(e)(i)(ii),(f),(g),(h)(i)	Contents of DSMS	N	
DSR	8(3)(a),(b)	4.4(3)(a),(b)	Contents of DSMS	N	
DSR	8(4)(a),(b)	4.4(4)(a),(b)	Contents of DSMS	N	
DSR	9(1)	4.5(1)	Acceptance of new DSMS	N	
DSR	9(2)(a),(b)	4.5(2)	Acceptance of new DSMS	Y	DSR 9(2)(a),(b) has been split into 4.5(2) and 4.5(3) in the OPS regs.  9(2) Within 60 days after receiving the DSMS, the Safety Authority must notify the diving contractor that it: (a) accepts the DSMS, subject to any conditions necessary in the interests of safety; or (b) rejects the DSMS.  4.5(2) Within 60 days after receiving the DSMS, the Safety Authority must accept or reject the DSMS. 4.5(3) As soon as practical after making a decision under subregulation (2), the Safety Authority must notify the diving contractor of its decision.
DSR	9(2)(a),(b)	4.5(3)	Acceptance of new DSMS	Y	DSR 9(2)(a),(b) has been split into 4.5(2) and 4.5(3) in the OPS regs.  9(2) Within 60 days after receiving the DSMS, the Safety Authority must notify the diving contractor that it: (a) accepts the DSMS, subject to any conditions necessary in the interests of safety; or (b) rejects the DSMS.  4.5(2) Within 60 days after receiving the DSMS, the Safety Authority must accept or reject the DSMS. 4.5(3) As soon as practical after making a decision under subregulation (2), the Safety Authority must notify the diving contractor of its decision.
DSR	Division 1	Part 1	Preliminary	N	
DSR	Division 2, Division 3	Part 5	Diving safety management systems and diving project plans	Y	Sections combined into Part 5 in OPS regs
DSR	Division 4			Y	No longer applies in the OPS regs
DSR	Part 1	Chapter 1	Preliminary	N	
DSR	Part 1	Part 1	Preliminary	N	
DSR	Part 10	Part 9	Records	N	
DSR	Part 11	Chapter 5	Transitional	Y	Removed term "provisions" from title.
DSR	Part 2	Part 2	Diving safety management systems	N	
DSR	Part 3	Part 3	Diving project plans	N	
DSR	Part 4	Part 4	Involvement of divers and members of the workforce	N	
DSR	Part 5	Part 5	Safety responsibilities	N	
DSR	Part 6	Part 6	Diving supervisors	N	
DSR	Part 7	Part 7	Start-up notices	N	
DSR	Part 9	Part 8	Diving operations	N	
MoSOF	1	1.1	Name of Regulations	Y	Regulation name change
MoSOF	2	1.2	Commencement	Y	Date change
MoSOF	4	1.9	Relationship with other regulations made under the Act	N	
MoSOF	11	2.7	Standards to be applied	N	
MoSOF	17	2.13	Medical and pharmaceutical supplies and services	Y	Minor wording change from "The safety case in respect of a facility must...." to "The safety case for a facility must...."
MoSOF	33	2.29	Duties under Part 2 of Schedule 3 to the Act	Y	No change apart from 2.29 references correct schedule of the act.

Old Regulation Title	Old Regulation Number	Offshore Petroleum Safety Regulations 2009 Number	Title in Offshore Petroleum Safety Regulations 2009	Change between Regulations Y/N	Change Description
MoSOF	40	2.36	Effect of rejection of revised safety case	N	
MoSOF	43	2.39	Safety Authority may give an exemption	N	
MoSOF	55	5.1	Definitions	Y	"old regulations" term no longer applies in this section of the OPS regs
MoSOF	10(a),(b),(c)	2.6(a),(b),(c)	Implementation and improvement of the safety management system	N	
MoSOF	12(1)(a),(b),(c)	2.8(1)(a),(b),(c)	Command structure	Y	<p>Addition of the term "For a facility that is manned"</p> <p>12(1) The safety case for a facility must specify:</p> <ul style="list-style-type: none"> <li>(a) an office or position at the facility, the occupant of which is in command of the facility and responsible for its safe operation when on duty; and</li> <li>(b) an office or position at the facility, the occupant of which is responsible for implementing and supervising procedures in the event of an emergency at the facility; and</li> <li>(c) the command structure that applies in the event of an emergency at the facility.</li> </ul> <p>Note: The same person may occupy both of the offices or positions mentioned in paragraphs 1 (a) and (b).</p> <p>2.8(1) For a facility that is manned, the safety case must specify:</p> <ul style="list-style-type: none"> <li>(a) an office or position at the facility, the occupant of which is in command of the facility and responsible for its safe operation when on duty; and</li> <li>(b) an office or position at the facility, the occupant of which is responsible for implementing and supervising procedures in the event of an emergency at the facility; and</li> <li>(c) the command structure that will apply in the event of an emergency at the facility.</li> </ul>
MoSOF	12(2)(a),(b),(c)	2.8(2)(a),(b),(c)	Command structure	Y	Negligible change in content between 12(2)(a),(b),(c) and 2.8(2)(a),(b),(c). The term "also" has been added to the sentence, "The safety case must also describe, in detail, the means by which the operator will ensure that, as far as reasonably practicable:"
MoSOF	13(a)(i)(ii)(iii),(b)	2.9(a)(i)(ii)(iii),(b)	Members of the workforce must be competent	N	
MoSOF	14(1)(a),(b),(c),(d),(e),(f)	2.10(1)(a),(b),(c),(d),(e),(f)	Permit to work system for safe performance of various activities	Y	<p>Subregulation wording simplified</p> <p>14(1) The Safety Case in respect of a facility must provide for the operator of the facility to establish and maintain, in accordance with subregulation (2), a documented system of coordinating and controlling the safe performance of all work activities of members of the workforce at the facility including in particular:</p> <ul style="list-style-type: none"> <li>(a) welding and other hot work; and</li> <li>(b) cold work (including physical isolation); and</li> <li>(c) electrical work (including electrical isolation); and</li> <li>(d) entry into, and working in a confined space; and</li> <li>(e) procedures for working over water; and</li> <li>(f) diving operations.</li> </ul> <p>Note The expression confined space is defined in subr. 3 (1).</p> <p>2.10(1) The safety case for a facility must provide for the operator of the facility to establish and maintain a documented system of coordinating and controlling the safe performance of all work activities of members of the workforce at the facility, including in particular:</p> <ul style="list-style-type: none"> <li>(a) welding and other hot work; and</li> <li>(b) cold work (including physical isolation); and</li> </ul>
MoSOF	14(2)(a),(b),(c)	2.10(2)(a),(b),(c)	Permit to work system for safe performance of various activities	N	

Old Regulation Title	Old Regulation Number	Offshore Petroleum Safety Regulations 2009 Number	Title in Offshore Petroleum Safety Regulations 2009	Change between Regulations Y/N	Change Description
MoSOF	15(1)(a),(b)	2.11(1)(a),(b)	Involvement of members of the workforce	Y	Minor wording change between 15(1)(a) and 2.11(1)(a)  15(1) The operator of a facility must demonstrate to the Safety Authority, to the reasonable satisfaction of the Safety Authority, that: (a) in the development or revision of the Safety Case in relation to the facility, there has been effective consultation with, and participation of, members of the workforce; and (b) the Safety Case provides adequately for effective consultation with, and the effective participation of, the members of the workforce, so that they are able to arrive at informed opinions about the risks and hazards to which they may be exposed on the facility.  2.11(1) The operator of a facility must demonstrate to the Safety Authority, to the reasonable satisfaction of the Safety Authority, that: (a) in the development or revision of the safety case for the facility, there has been effective consultation with, and participation of, members of the workforce; and (b) the safety case provides adequately for effective consultation with, and the effective participation of, the
MoSOF	15(2)	2.11(2)	Involvement of members of the workforce	Y	Minor change. Text refined between revisions;  15(2) A demonstration for the purposes of subregulation (1) must be supported by adequate documentation.  2.11(2) A demonstration for paragraph (1) (a) must be supported by adequate documentation.
MoSOF	15(3)(a),(b)	2.11(3)(a),(b)	Involvement of members of the workforce	Y	Minor change. Text refined between revisions;  15(3) In this regulation: <b>members of the workforce</b> includes members of the workforce who are: (a) identifiable before the Safety Case is developed; and (b) working, or likely to be working, on the relevant facility.  2.11(3) In subregulation (1): <b>members of the workforce</b> includes members of the workforce who are: (a) identifiable before the safety case is developed; and (b) working, or likely to be working, on the relevant facility.  References to the Act corrected
MoSOF	16(1)	2.12(1)	Design, construction, installation, maintenance and modification	N	
MoSOF	16(2)(a),(b),(c),(d)	2.12(2)(a),(b),(c),(d)	Design, construction, installation, maintenance and modification	N	
MoSOF	18(1)	2.14(1)	Machinery and equipment	Y	Minor wording change from "The safety case in respect of a facility must...." to "The safety case for a facility must...."
MoSOF	18(2)(a)(b)	2.14(2)(a)(b)	Machinery and equipment	Y	Subregulation reworded  18(2) The equipment must be fit for its function or use: (a) in normal operating conditions; and (b) to the extent that it is intended to function, or be used, in an emergency — in case of emergency.  2.14(2) The safety case must demonstrate that: (a) the equipment is fit for its function or use in normal operating conditions; and (b) to the extent that the equipment is intended to function, or to be used, in an emergency — the equipment is fit for its function or use in the emergency.

Old Regulation Title	Old Regulation Number	Offshore Petroleum Safety Regulations 2009 Number	Title in Offshore Petroleum Safety Regulations 2009	Change between Regulations Y/N	Change Description
MoSOF	19(a),(b)(i)(ii)	2.15(a),(b),(c)	Drugs and intoxicants	Y	Text restructured only  19 The safety case for a facility must describe the means by which the operator will ensure that there is in place, or will be put in place, a method of: (a) securing, supplying, and monitoring the use of, therapeutic drugs on the facility; and (b) preventing the use of: (i) controlled substances (other than therapeutic drugs); and (ii) intoxicants; on the facility.  2.15 The safety case for a facility must describe the means by which the operator will ensure that there is in place, or will be put in place, a method of: (a) securing, supplying, and monitoring the use of, therapeutic drugs on the facility; and (b) preventing the use of controlled substances (other than therapeutic drugs) on the facility; and (c) preventing the use of intoxicants on the facility.
MoSOF	20(1)	2.16(1)	Evacuation, escape and rescue analysis	N	
MoSOF	20(2)(a),(b),(c),(d),(e),(f),(g)(i)(ii)(iii),(h)	2.16(2)(a),(b),(c),(d),(e),(f),(g)(i)(ii)(iii),(h)	Evacuation, escape and rescue analysis	N	
MoSOF	21(1)	2.17(1)	Fire and explosion risk analysis	N	
MoSOF	21(2)(a),(b),(c),(d)(i)(ii),(e),(f),(g)	2.17(2)(a),(b),(c),(d)(i)(ii)(iii),(e),(f),(g)	Fire and explosion risk analysis	Y	Addition of automatic and manual systems for the detection, control and extinguishment of leaks of greenhouse gas.  21(2) The fire and explosion risk analysis must: (d) consider the incorporation into the facility of both automatic and manual systems for the detection, control and extinguishment of: (i) outbreaks of fire; and (ii) leaks or escapes of petroleum; and  2.17 (2) The fire and explosion risk analysis must: (d) consider the incorporation into the facility of both automatic and manual systems for the detection, control and extinguishment of: (i) outbreaks of fire; and (ii) leaks or escapes of petroleum; and (iii) leaks or escapes of greenhouse gas; and
MoSOF	22(1)(a),(b)(i)(ii)(iii)	2.18(1)(a),(b)(i)(ii)(iii)	Emergency communications systems	Y	Text restructured only  22(1) The Safety Case in respect of a facility must provide for communications systems: (a) within the facility; and (b) between the facility and: (i) appropriate on-shore installations; and (ii) appropriate vessels and aircraft; and (iii) other appropriate facilities; that, in the event of an emergency in connection with the facility, is adequate for those kinds of communication.  2.17 (1) The safety case for a facility must provide for communications systems that, in the event of an emergency in connection with the facility, are adequate for communication: (a) within the facility; and (b) between the facility and: (i) appropriate on-shore installations; and (ii) appropriate vessels and aircraft; and (iii) other appropriate facilities.
MoSOF	22(2)(a)(i)(ii),(b)	2.18(2)(a)(i)(ii),(b)	Emergency communications systems	N	

Old Regulation Title	Old Regulation Number	Offshore Petroleum Safety Regulations 2009 Number	Title in Offshore Petroleum Safety Regulations 2009	Change between Regulations Y/N	Change Description
MoSOF	23(a),(b),(c),(d),(f)	2.19(a),(b),(c),(d),(f)	Control systems	Y	Negligible change in content between 23(a),(b),(c),(d),(f) and 2.19(a),(b),(c),(d),(f). The term "in respect of" has been replaced with "for" to the initial sentence, "The safety case for a facility must make adequate provision for the facility, in the event of an emergency, in respect of:"
MoSOF	24(1)(a),(b)	2.20(1)(a),(b)	Emergency preparedness	N	
MoSOF	24(2)(a),(b)	2.20(2)(a),(b)	Emergency preparedness	N	
MoSOF	24(3)	2.20(3)	Emergency preparedness	N	
MoSOF	24(4)	2.20(4)	Emergency preparedness	N	
MoSOF	24(5)	2.20(5)	Emergency preparedness	N	
MoSOF	24(6)(a),(b)	2.20(6)(a),(b)	Emergency preparedness	Y	Subregulation reworded  24(6) The Safety Case in respect of a mobile facility must also specify systems that are adequate to: (a) shut down or disconnect, in the event of emergency, all operations on the facility that could adversely affect the safety of the facility; and (b) give appropriate audible and visible warnings of the shutting down or disconnecting of those operations.  2.20(6) The safety case for a mobile facility must also specify systems that: (a) in the event of emergency, are adequate to shut down or disconnect all operations on the facility that could adversely affect the health or safety of persons at or near the facility; and (b) are adequate to give appropriate audible and visible warnings of the shutting down or disconnecting of those operations.
MoSOF	25(1)(a),(b)	2.21(1)(a),(b)	Pipes	Y	Term "pipelines" replaced with the term "pipes".  25(1) The Safety Case for a facility that is: (a) connected to one or more operational pipelines; or (b) proposed to be connected to one or more operational pipelines; must specify adequate procedures for shutting down or isolating, in the event of emergency, each pipeline connected to the facility, so as to stop the flow of hazardous substances through the pipeline.  2.21(1) The safety case for a facility that is: (a) connected to one or more pipes; or (b) proposed to be connected to one or more pipes; that convey, or will convey, petroleum to the facility must specify adequate procedures for shutting down or isolating, in the event of emergency, each of those pipes so as to stop the flow of petroleum into the facility through the pipe.
MoSOF	25(2)(a),(b)	2.21(2)(a),(b)	Pipes	Y	Term "pipelines" replaced with the term "pipes".  25(2) In particular, the procedures must include: (a) effective means of controlling and operating all relevant emergency shut-down valves for a pipeline; and (b) a fail-safe system of isolating a pipeline in the event of failure of other safety devices for the pipeline.  2.21(2) In particular, the procedures must include: (a) effective means of controlling and operating all relevant emergency shut-down valves for a pipe; and (b) a fail-safe system of isolating a pipeline in the event of failure of other safety devices for the pipe.

Old Regulation Title	Old Regulation Number	Offshore Petroleum Safety Regulations 2009 Number	Title in Offshore Petroleum Safety Regulations 2009	Change between Regulations Y/N	Change Description
MoSOF	25(3)(a),(b)	2.21(3)(a),(b)	Pipes	Y	Term "pipelines" replaced with the term "pipes".  25(3) The Safety Case in respect of a facility must also specify: (a) adequate means of mitigating, in the event of emergency, the risks associated with each pipeline connected to the facility; and (b) a frequency of periodic inspection and testing of pipeline emergency shut-down valves that can reasonably be expected to ensure that they will operate correctly in an emergency.  2.21(3) The safety case for a facility must also specify: (a) adequate means of mitigating, in the event of emergency, the risks associated with each pipe connected to the facility; and (b) a frequency of periodic inspection and testing of pipe emergency shut-down valves that can reasonably be expected to ensure that they will operate correctly in an emergency.
MoSOF	26(1)	2.22(1)	Vessel and aircraft control	N	
MoSOF	26(2)	2.22(2)	Vessel and aircraft control	N	
MoSOF	26(3)	2.22(3)	Vessel and aircraft control	N	
MoSOF	27(1)(a),(b),(c),(d)	2.23(1)(a),(b),(c),(d)	Arrangements for records	Y	No change apart from 2.23(1)(d) references correct regulation in the OPS regs.
MoSOF	27(2)(a),(b)(i)(ii)	2.23(2)(a),(b)(i)(ii)	Arrangements for records	N	
MoSOF	27(3)	2.23(3)	Arrangements for records	N	
MoSOF	27(4)	2.23(4)	Arrangements for records	N	
MoSOF	27(5)	2.23(5)	Arrangements for records	N	
MoSOF	28(1)	2.24(1)	Safety case to be submitted to Safety Authority	Y	Text simplified.  28(1) If an operator for a facility wants to have a safety case accepted for the facility, he or she must submit the safety case to the Safety Authority.  2.24(1) If an operator wants to have a safety case accepted for the facility, he or she must submit the safety case to the Safety Authority.
MoSOF	28(2)	2.24(2)	Safety case to be submitted to Safety Authority	N	
MoSOF	28(3)	2.24(3)	Safety case to be submitted to Safety Authority	N	
MoSOF	28(4)	2.24(4)	Safety case to be submitted to Safety Authority	N	
MoSOF	29(1)	2.25(1)	Safety Authority may request more information	N	
MoSOF	29(2)(a),(b),(c)	2.25(2)(a),(b),(c)	Safety Authority may request more information	N	
MoSOF	29(3)(a),(b)	2.25(3)(a),(b)	Safety Authority may request more information	N	
MoSOF	3(a)	1.4(1)	Objects	N	
MoSOF	3(b)(i),(ii),(iii),(iv)	1.4(2)(a),(b),(c),(d)	Objects	N	
MoSOF	3(c)	1.4(3)	Objects	N	
MoSOF	30(1)(a),(b),(c),(d)(i)(ii)	2.26(1)(a),(b),(c),(d)(i)(ii)	Acceptance or rejection of a safety case	Y	No change apart from 2.26(1)(d)(i)(ii) references correct regulations in the OPS regs.
MoSOF	30(2)	2.26(2)	Acceptance or rejection of a safety case	N	
MoSOF	30(3)	2.26(3)	Acceptance or rejection of a safety case	N	

Old Regulation Title	Old Regulation Number	Offshore Petroleum Safety Regulations 2009 Number	Title in Offshore Petroleum Safety Regulations 2009	Change between Regulations Y/N	Change Description
MoSOF	30(4)(a),(b),(c)	2.26(4)(a),(b),(c)	Acceptance or rejection of a safety case	Y	Text restructured only  30(4) If: (a) the Safety Authority has given an operator a reasonable opportunity to change and resubmit a safety case; and (b) the operator resubmits the safety case; and (c) the Safety Authority is not satisfied with any of the matters mentioned in subregulation (1); the Safety Authority must reject the safety case.  2.26(4) The Safety Authority must reject the safety case if: (a) the Safety Authority has given an operator a reasonable opportunity to change and resubmit a safety case; and (b) the operator resubmits the safety case; and (c) the Safety Authority is not satisfied with any of the matters mentioned in subregulation (1).
MoSOF	30(5)	2.26(5)	Acceptance or rejection of a safety case	N	
MoSOF	31(1)(a)(i)(ii)(iii)(A)(B)(iv),(b)	2.27(1)(a)(i)(ii)(iii)(A)(B)(iv),(b)	Notice of decision on safety case	Y	No change apart from 2.27(1) references correct regulations in the OPS regs.
MoSOF	31(2)	2.27(2)	Notice of decision on safety case	N	
MoSOF	31(3)	2.27(3)	Notice of decision on safety case	N	
MoSOF	32(1)(a),(b),(c),(d),(e)	2.28(1)	Consent to undertake work in a manner different from safety case	Y	Subregulation reworded  32(1) The Safety Authority may, by notice in writing, given to the operator of a facility, consent to: (a) the construction of the facility; or (b) the installation of the facility; or (c) the operation of the facility; or (d) the modification of the facility; or (e) the decommissioning of the facility; in a manner that is different from the safety case in force in relation to the facility.  2.28(1) The Safety Authority may, by notice in writing given to the operator of a facility, consent to the conduct of an activity in a manner that is different from the safety case in force in relation to the facility.
MoSOF	32(2)	2.28(2)	Consent to undertake work in a manner different from safety case	Y	Subregulation reworded  32(2) The Safety Authority must not give a consent under subregulation (1) unless it is satisfied that there will not be an occurrence of a significant new risk to health and safety or a significant increase in an existing risk to health and safety arising from the construction, installation, operation, modification or decommissioning of the facility in the relevant manner.  2.28(2) The Safety Authority must not give a consent under subregulation (1) unless it is satisfied that there will not be an occurrence of a significant new risk to health and safety or a significant increase in an existing risk to health and safety arising from the activity in relation to the facility.

Old Regulation Title	Old Regulation Number	Offshore Petroleum Safety Regulations 2009 Number	Title in Offshore Petroleum Safety Regulations 2009	Change between Regulations Y/N	Change Description
MoSOF	34(1)(a),(b)(i)(ii),(c),(d),(e)	2.30(1)(a),(b),(c),(d),(e),(f)	Revision of a safety case because of a change of circumstances or operations	Y	Subregulation reworded  34(1) Subject to subregulation (2), an operator of a facility for which a safety case is in force must submit a revised safety case to the Safety Authority as soon as practicable after the occurrence of any of the following circumstances: (a) the technical knowledge relied upon to formulate the safety case, including the knowledge of systems for identifying hazards and evaluating risks of major accident events, is outdated so that the safety case no longer adequately provides for the matters mentioned in Subdivisions A, B and C of Division 1. (b) the operator proposes to modify or decommission the facility and: (i) the safety case has not been accepted by the Safety Authority for the modification or decommissioning stage in the life of the facility; or (ii) the proposed modification or decommissioning is not adequately addressed in the safety case; (c) there are reasonable grounds for believing that a series of proposed modifications to the facility would result in a significant cumulative change in the overall level of risk of major accident events; (d) the operator proposes to significantly change the safety management system that is in force at the facility;
MoSOF	34(2)	2.30(3)	Revision of a safety case because of a change of circumstances or operations	Y	Addition of subregulation (2) to the text  2.30(3) If a circumstance mentioned in subregulation (1) or (2) is satisfied because the operator proposes to modify or decommission the facility the operator must not submit the revised safety case before the operator and the Safety Authority have agreed on the scope of the validation of the proposal.
MoSOF	34(3)	2.30(4)	Revision of a safety case because of a change of circumstances or operations	Y	Addition of subregulation (2) to the text  2.30(4) If the Safety Authority agrees, the operator of a facility may submit a revised safety case under subregulation (1) or (2) in the form of a revision to part of the safety case in force for the facility
MoSOF	35(1)	2.31(1)	Revision on request by the Safety Authority	N	
MoSOF	35(2)	2.31(2)	Revision on request by the Safety Authority	N	
MoSOF	35(3)(a),(b),(c)	2.31(3)(a),(b),(c)	Revision on request by the Safety Authority	Y	Minor wording change between 35(3)(b) and 2.31(3)(b)  35(3) A request by the Safety Authority must be in writing and include the following information: (a) the matters to be addressed by the revision; (b) the proposed date of effect of the revision; (c) the grounds for the request.  2.31(3) A request by the Safety Authority must be in writing and include the following information: (a) the matters to be addressed by the revision; (b) the date by which the revision is required to be submitted to the Safety Authority; (c) the grounds for the request.
MoSOF	35(4)(a),(b),(c)	2.31(4)(a),(b),(c)	Revision on request by the Safety Authority	N	
MoSOF	35(5)(a),(b)	2.31(5)(a),(b)	Revision on request by the Safety Authority	N	
MoSOF	35(6)(a),(b),(c),(d)	2.31(6)(a),(b),(c),(d)	Revision on request by the Safety Authority	N	
MoSOF	35(7)	2.31(7)	Revision on request by the Safety Authority	N	
MoSOF	36(1)(a),(b)	2.32(1)(a),(b)	Revision after 5 years	Y	No change apart from 2.32(1)(a),(b) references correct regulations in the OPS regs.
MoSOF	36(2)	2.32(2)	Revision after 5 years	N	
MoSOF	37(1)	2.33(1)	Safety Authority may request more information	N	
MoSOF	37(2)(a),(b),(c)	2.33(2)(a),(b),(c)	Safety Authority may request more information	N	
MoSOF	37(3)(a),(b)	2.33(3)(a),(b)	Safety Authority may request more information	N	

Old Regulation Title	Old Regulation Number	Offshore Petroleum Safety Regulations 2009 Number	Title in Offshore Petroleum Safety Regulations 2009	Change between Regulations Y/N	Change Description
MoSOF	38(1)(a),(b),(c),(d)(i)(ii)	2.34(1)(a),(b),(c),(d)(i)(ii)	Acceptance or rejection of a revised safety case	Y	No change apart from 2.34(1)(d)(i)(ii) references correct regulations in the OPS regs.
MoSOF	38(2)	2.34(2)	Acceptance or rejection of a revised safety case	N	
MoSOF	38(3)	2.34(3)	Acceptance or rejection of a revised safety case	N	
MoSOF	38(4)(a),(b),(c)	2.34(4)(a),(b),(c)	Acceptance or rejection of a revised safety case	Y	Text restructured only  38(4) If: (a) the Safety Authority has given an operator a reasonable opportunity to change and resubmit a revised safety case or a revised part of a safety case; and (b) the operator resubmits the revised safety case or revised part of the safety case; and (c) the Safety Authority is not satisfied with any of the matters mentioned in subregulation (1); the Safety Authority must reject the revised safety case.  2.34(4) The Safety Authority must reject a revised safety case if: (a) the Safety Authority has given an operator a reasonable opportunity to change and resubmit a revised safety case or a revised part of a safety case; and (b) the operator resubmits the revised safety case or revised part of the safety case; and (c) the Safety Authority is not satisfied with any of the matters mentioned in subregulation (1).
MoSOF	38(5)	2.34(5)	Acceptance or rejection of a revised safety case	N	
MoSOF	39(1)(a)(i)(ii)(iii)(iv),(b)	2.35(1)(a)(i)(ii)(iii)(A)(B)(iv),(b)	Notice of decision on revised safety case	Y	Subregulation reworded  39(1) Within 30 days after receiving a revised safety case, or a revised part of a safety case, the Safety Authority must: (a) notify the operator, in writing, that the Safety Authority has decided to: (i) accept the revised safety case; or (ii) reject the revised safety case; or (iii) accept the revised safety case for 1 or more stages in the life of the facility, in respect of which the revised safety case was submitted, but not for every stage in the life of the facility; or (iv) accept the revised safety case subject to conditions or limitations; or (b) notify the operator, in writing, that the Safety Authority is unable to make a decision about the revised safety case within the period of 30 days, and set out a proposed timetable for its consideration of the revised safety case.  2.35(1) Within 30 days after receiving a revised safety case, or a revised part of a safety case, the Safety Authority must: (a) notify the operator, in writing, that the Safety Authority has decided: (i) to accept the revised safety case; or
MoSOF	39(2)	2.35(2)	Notice of decision on revised safety case	Y	Subregulation reworded  39(2) A failure by the Safety Authority to comply with subsection (1) in relation to a revised safety case does not affect the validity of a decision by the Safety Authority to accept or reject the revision.  2.35(2) A failure by the Safety Authority to comply with subregulation(1) in relation to a revised safety case, or a revised part of a safety case, does not affect the validity of a decision by the Safety Authority to accept or reject the safety case.

Old Regulation Title	Old Regulation Number	Offshore Petroleum Safety Regulations 2009 Number	Title in Offshore Petroleum Safety Regulations 2009	Change between Regulations Y/N	Change Description
MoSOF	41(1)(a)(i)(ii)(iii),(b)	2.37(1)(a)(i)(ii)(iii),(b)	Grounds for withdrawal of acceptance	Y	<p>Now references the Act and OPS regs correctly with a further reference applied to 2.37(1)(b)</p> <p>41 (1) The Safety Authority may, by written notice to the operator of a facility, withdraw the acceptance of the safety case for the facility on any of the following grounds:</p> <p>(a) the operator has not complied with:</p> <p>(i) Schedule 7 to the Act; or</p> <p>(ii) a notice issued by an OHS inspector under Schedule 7 to the Act; or</p> <p>(iii) regulation 34, 35, or 36; or</p> <p>(b) the Safety Authority has rejected a revised safety case.</p> <p>2.37(1) The Safety Authority may, by written notice to the operator of a facility, withdraw the acceptance of the safety case for the facility on any of the following grounds:</p> <p>(a) the operator has not complied with:</p> <p>(i) Schedule 3 to the Act; or</p> <p>(ii) a notice issued by an OHS inspector under Schedule 3 to the Act; or</p> <p>(iii) regulation 2.30, 2.31 or 2.32; or</p> <p>(b) the Safety Authority has rejected a revised safety case under regulation 2.34.</p>
MoSOF	41(2)	2.37(2)	Grounds for withdrawal of acceptance	N	
MoSOF	42(1)	2.38(1)	Notice before withdrawal of acceptance	N	
MoSOF	42(2)	2.38(2)	Notice before withdrawal of acceptance	N	
MoSOF	42(3)	2.38(3)	Notice before withdrawal of acceptance	Y	<p>Addition of the term "whether" to the text</p> <p>2.38(3) The Safety Authority must specify, in the notice, a date (the cut-off date) on or before which the operator (or other person to whom a copy of the notice has been given) may submit to the Safety Authority in writing, matters that the Safety Authority should take into account when deciding whether to withdraw the acceptance.</p>
MoSOF	42(4)(a)(i)(ii),(b)	2.38(4)(a)(i)(ii),(b)	Notice before withdrawal of acceptance	N	
MoSOF	44(1)(a),(b)	2.40(1)(a),(b)	Validation of design, construction and installation, significant modification or decommissioning of a facility	N	
MoSOF	44(2)	2.40(2)	Validation of design, construction and installation, significant modification or decommissioning of a facility	N	
MoSOF	44(3)	2.40(3)	Validation of design, construction and installation, significant modification or decommissioning of a facility	N	
MoSOF	44(4)(a)(i)(ii),(b)	2.40(4)(a)(i)(ii),(b)	Validation of design, construction and installation, significant modification or decommissioning of a facility	N	
MoSOF	44(5)	2.40(5)	Validation of design, construction and installation, significant modification or decommissioning of a facility	N	
MoSOF	44(6)	2.40(6)	Validation of design, construction and installation, significant modification or decommissioning of a facility	N	
MoSOF	45(1)	2.41(1)	Interpretation	Y	No change apart from referencing the Act correctly

Old Regulation Title	Old Regulation Number	Offshore Petroleum Safety Regulations 2009 Number	Title in Offshore Petroleum Safety Regulations 2009	Change between Regulations Y/N	Change Description
MoSOF	45(2)(a)(i)(ii),(b)(i)(ii)(iii)(iv)(v)(vi)(vii),(c)	2.41(2)	Interpretation	Y	The changes between 45(2)(a)(i)(ii),(b)(i)(ii)(iii)(iv)(v)(vi)(vii),(c) and 2.41(2) are as follows; 1) References the Act and other regulations in the OPS regs correctly 2) Structure changed so that occurrences are tabulated 3) Addition Item 9 : An occurrence to which items 1 to 8 do not apply that: (a) results in significant damage to a pipeline (for example, reducing the capacity of the pipeline to contain petroleum flowing through it); or (b) is likely to have a result of a kind mentioned in paragraph (a); or (c) is of a kind that a reasonable pipeline licensee would consider to require immediate investigation  Regulation in full has not been repeated here because the format will not support the table.
MoSOF	46(1)(a),(b)(i)(ii),(c)	2.42(1)(a),(b)(i)(ii),(c)	Reports of accidents and dangerous occurrences	Y	No change apart from 2.42(1) references the Act correctly.
MoSOF	46(2)(a),(b)(i)(ii),(c)	2.42(2)(a),(b)(i)(ii),(c)	Reports of accidents and dangerous occurrences	Y	No change apart from 2.42(2) references the Act correctly.
MoSOF	46(3)(a),(b)	2.42(3)(a),(b)	Reports of accidents and dangerous occurrences	N	
MoSOF	46(4)(a),(b)	2.42(4)(a),(b)	Reports of accidents and dangerous occurrences	N	
MoSOF	47(a),(b),(c),(d),(e)	2.43(1)(a),(b),(c),(d),(e),(f)	Facility must have registered operator	Y	Addition made to subregulation  47 A person must not: (a) construct a facility; or (b) install a facility; or (c) operate a facility; or (d) modify a facility; or (e) decommission a facility; in Commonwealth waters if there is not an operator in respect of the facility. Penalty: 80 penalty units.  2.43 (1) A person must not: (a) construct or install a facility; or (b) operate a facility; or (c) modify a facility; or (d) carry out maintenance on a facility; or (e) decommission a facility; or (f) do any other work at a facility; in Commonwealth waters unless there is an operator in respect of the facility. Penalty: 80 penalty units

Old Regulation Title	Old Regulation Number	Offshore Petroleum Safety Regulations 2009 Number	Title in Offshore Petroleum Safety Regulations 2009	Change between Regulations Y/N	Change Description
MoSOF	48(1)(a),(b),(c),(d),(e)	2.44(1)(a),(b),(c),(d),(e)	Safety case required for the relevant stage in the life of a facility	Y	Subregulation reworded  48(1) A person must not: (a) construct a facility; or (b) install a facility; or (c) operate a facility; or (d) modify a facility; or (e) decommission a facility; in Commonwealth waters if there is not a safety case in force for the relevant stage in the life of the facility that corresponds with the conduct. Penalty: 80 penalty units.  2.44(1) A person must not: (a) construct or install a facility; or (b) operate a facility; or (c) modify a facility; or (d) carry out maintenance on a facility; or (e) decommission a facility; or (f) do any other work at a facility; in Commonwealth waters unless there is a safety case in force for the facility that provides for the activity. Penalty: 80 penalty units.
MoSOF	48(2)	2.44(2)	Safety case required for the relevant stage in the life of a facility	Y	Subregulation reworded  48(2) Subregulation (1) does not apply to a person who is exempt from the requirement to have a safety case in force for the relevant stage in the life of the facility under regulation 43.  2.44(2) For subregulation (1), a facility includes a part of a facility.
MoSOF	49(1)(a),(b),(c),(d),(e) 49(2)(a),(b)	2.45(1)(a),(b),(c),(d),(e),(f),(g),(h)	Work on a facility must comply with the safety case	Y	MoSOF regs 49(1)(a),(b),(c),(d),(e) & 49(2)(a),(b) combined into OPS regs 2.45(1)(a),(b),(c),(d),(e),(f),(g),(h)  49(1) This regulation applies to the following conduct: (a) constructing a facility; (b) installing a facility; (c) operating a facility; (d) modifying a facility; (e) decommissioning a facility.  49(2) A person must not engage in conduct mentioned in subregulation (1) in a manner that is contrary to: (a) the safety case in force for the relevant stage in the life of the facility; or (b) a limitation or condition imposed by subregulation 30 (5) or 38 (5). Penalty: 80 penalty units.  2.45(1) A person must not: (a) construct or install a facility; or (b) operate a facility; or (c) modify a facility; or (d) carry out maintenance on a facility; or (e) decommission a facility; or (f) do any other work at a facility; in Commonwealth waters in a manner that is contrary to: (g) the safety case in force for the facility; or (h) a limitation or condition imposed by subregulation 2.26 (5) or 2.34 (5).
MoSOF	49(3)	2.45(3)	Work on a facility must comply with the safety case	Y	No change apart from 2.45(3) references the correct regulations in the OPS regs.

Old Regulation Title	Old Regulation Number	Offshore Petroleum Safety Regulations 2009 Number	Title in Offshore Petroleum Safety Regulations 2009	Change between Regulations Y/N	Change Description
MoSOF	49(4)	2.45(4)	Work on a facility must comply with the safety case	Y	Subregulation amended to reference the subregulation under which limitations or conditions imposed  49(4) Subregulation (2) does not apply to particular conduct if the Safety Authority has given the person a written consent under regulation 32 to engage in that conduct in a manner contrary to the safety case or a limitation or condition on the safety case.  2.45(4) Subregulation (3) does not apply to particular conduct if the Safety Authority has given the person a written consent under regulation 2.28 to engage in that conduct in a manner contrary to the safety case or a limitation or condition imposed by subregulation 2.26 (5) or 2.34 (5).
MoSOF	5(1)	1.5(1)	Definitions	Y	Section contains all previous definitions from MoSOF. The definitions correctly reference the Act and OPS regs correctly The facility and titleholder terms has changed from previous.
MoSOF	5(2)	1.5(2)	Definitions	Y	No change apart from title of the levies act is now "Offshore Petroleum and Greenhouse Gas Storage (Safety Levies) Act 2003".
MoSOF	50(1)(a),(b),(c),(d),(e) 50(2)(a),(b)(i)(ii)(A)(B)	2.46(1)(a),(b),(c),(d),(e),(f),(g),(h)	New health and safety risk	Y	MoSOF regs 50(1)(a),(b),(c),(d),(e) & 50(2)(a),(b)(i)(ii)(A)(B) combined into OPS regs 2.46(1)(a),(b),(c),(d),(e),(f),(g),(h)  50(1) This regulation applies to the following conduct: (a) constructing a facility; (b) installing a facility; (c) operating a facility; (d) modifying a facility; (e) decommissioning a facility.  50(2) A person must not engage in conduct mentioned in a paragraph of subregulation (1) in Commonwealth waters if: (a) there has been an occurrence of a significant new risk to health and safety or a significant increase in an existing risk to health and safety arising from the construction, installation, operation, modification or decommissioning of the facility; and (b) the new risk or increased risk is not provided for: (i) in the safety case in force for the facility; or (ii) in a revised safety case: (A) submitted to the Safety Authority; and (B) not refused acceptance by the Safety Authority. Penalty: 80 penalty units.  2.46(1) A person must not: (a) construct or install a facility; or
MoSOF	50(3)		New health and safety risk	Y	No longer applies in the OPS regs
MoSOF	51(1)	2.47(1)	Maintaining records	Y	No change apart from 2.47(1) references the correct regulations in the OPS regs.
MoSOF	51(2)	2.47(2)	Maintaining records	N	
MoSOF	52(1)	2.48(1)	Person on a facility must comply with safety case	N	
MoSOF	52(2)	2.48(2)	Person on a facility must comply with safety case	N	
MoSOF	53(1)(a),(b),(c)	2.49(1)(a),(b),(c)	Interference with accident sites	Y	The term "at least" has been added to 2.49(1)(b) to the text  2.49(1) A person must not interfere with a site, on a facility, where there is: (b) an accident that causes a member of the workforce to be incapacitated from performing work for a period of at least 3 days; or
MoSOF	53(2)(a),(b)(i)(ii)(iii)(iv),(c)	2.49(2)(a),(b)(i)(ii)(iii)(iv),(c)	Interference with accident sites	Y	No change apart from 2.49(2)(c) references the Act correctly.
MoSOF	54(1)(a),(b),(c),(d)	2.50(1)(a),(b),(c),(d)	Details in applications or submissions	N	
MoSOF	54(2)	2.50(2)	Details in applications or submissions	N	
MoSOF	54(3)	2.50(3)	Details in applications or submissions	N	
MoSOF	56(1)(a),(b),(c),(d),(e)(i)(ii)			Y	No longer applies in the OPS regs

Old Regulation Title	Old Regulation Number	Offshore Petroleum Safety Regulations 2009 Number	Title in Offshore Petroleum Safety Regulations 2009	Change between Regulations Y/N	Change Description
MoSOF	56(2)			Y	No longer applies in the OPS regs
MoSOF	56(3)(a)(i)(ii),(b),(c)			Y	No longer applies in the OPS regs
MoSOF	57(1)			Y	No longer applies in the OPS regs
MoSOF	57(2)			Y	No longer applies in the OPS regs
MoSOF	58(1)	5.4(1)(a),(b)	Existing safety cases remain in force	Y	Changed to reflect OPS regs replace MoSOF regs
MoSOF	58(2)(a),(b)	5.4(2)(a),(b)	Existing safety cases remain in force	Y	Changed to reflect OPS regs replace MoSOF regs
MoSOF	59(1)(a),(b)	5.5(1)(a),(b)	Application for acceptance of safety case or revised safety case made before 1 January 2010	Y	Changed to reflect OPS regs replace MoSOF regs
MoSOF	59(2)(a),(b)	5.5(2)(a),(b)	Application for acceptance of safety case or revised safety case made before 1 January 2011	Y	Changed to reflect OPS regs replace MoSOF regs
MoSOF	6(1)	2.1(1)	Nomination of operator — general	N	
MoSOF	6(2)(a),(b)(i)(ii)(iii)(iv),(c),(d)	2.1(2)(a),(b)(i)(ii)(iii)(iv),(c)(i)(ii)(iii)(iv),(d)	Nomination of operator — general	Y	Subregulation has been amended  6 (2) A notice under subregulation (1) must include: (a) the person's name; and (b) the person's contact details, including: (i) a business address; and (ii) telephone and facsimile numbers for the operator during business hours; and (iii) telephone and facsimile numbers for the operator outside business hours; and (c) the person's Australian Company Number (ACN), if applicable; and (d) the person's written consent to the nomination.  2.1 (2) The notice must include: (a) the person's name; and (b) the following contact details for the person: (i) if the person carries on business in Australia — the address of the person's principal place of business in Australia; (ii) if the person does not carry on business in Australia — the address of the person's principal place of business; (iii) telephone and fax numbers and an email address for the person at the place of business specified in the notice; (iv) telephone and fax numbers and an email address for the person outside business hours at the place of business specified in the notice; and
MoSOF	60(1)(a),(b) 60(2)(a),(b)	5.2	Operator of a facility before 1st January 2010	Y	Changed to reflect OPS regs replace MoSOF regs
MoSOF	61(1)(a),(b)			Y	No longer applies in the OPS regs
MoSOF	61(2)			Y	No longer applies in the OPS regs
MoSOF	61(3)			Y	No longer applies in the OPS regs
MoSOF	61(4)(a),(b)			Y	No longer applies in the OPS regs
MoSOF	7(1)(a)(b)	2.3(1)(a),(b)	Acceptance or rejection of nomination of operator	Y	The term "of a facility" has been added to 2.3(1) to the text:  2.3(1) The Safety Authority must accept the nomination of a person as an operator of a facility or a proposed facility if it is satisfied that the person has, or will have, the day-to-day management and control of:
MoSOF	7(2)	2.3(3)(a),(b)	Acceptance or rejection of nomination of operator	Y	Subregulation has been amended  7(2) If the Safety Authority is not satisfied of the matters in paragraphs (1) (a) and (b), it must reject the nomination.  2.3 (3) The Safety Authority must reject the nomination if: (a) the Safety Authority is not satisfied of the matters in paragraphs (1) (a) and (b); or (b) approving the nomination would result in the existence of more than 1 operator for the facility.
MoSOF	7(3)	2.3(4)	Acceptance or rejection of nomination of operator	N	
MoSOF	7(4)(a)(b)	2.3(5)(a),(b)	Acceptance or rejection of nomination of operator	N	

Old Regulation Title	Old Regulation Number	Offshore Petroleum Safety Regulations 2009 Number	Title in Offshore Petroleum Safety Regulations 2009	Change between Regulations Y/N	Change Description
MoSOF	8(1)	2.4(1)(a),(b)(i)(ii)(iii)	Register of operators	Y	Subregulation has been amended  8(1) The Safety Authority must maintain the register of operators.  2.4 (1) The Safety Authority must: (a) maintain the register of operators; and (b) publish on its website: (i) the name of each registered operator; and (ii) the address of each registered operator, as notified under subparagraph 2.1 (2) (b) (i) or (ii); and (iii) the name of each facility which the operator operates.
MoSOF	8(2)(a),(b)	2.4(2)(a),(b)	Register of operators	Y	Subregulation has been reworded  8(2) An owner or titleholder who has nominated a person to be the operator of a facility, or the operator of the facility, may notify the Safety Authority, in writing, that the registered operator has ceased to be the person who has, or will have, the day-to-day management and control of: (a) the facility or proposed facility; and (b) operations at the facility or proposed facility.  2.4(2) An owner, titleholder or operator of a facility may notify the Safety Authority, in writing, that the registered operator has ceased to be the person who has, or will have, the day-to-day management and control of: (a) the facility or proposed facility; and (b) operations at the facility or proposed facility.
MoSOF	8(3)	2.4(3)	Register of operators	N	
MoSOF	8(4)(a),(b)(i)(ii),(c),(d)	2.4(4)(a),(b)(i)(ii),(c),(d)	Register of operators	Y	Change associated with 8(4)(b)(i) and 2.4(4)(b)(ii).  8 (4) The Safety Authority may remove an operator's name from the register if: (b) the Safety Authority has given notice of intention to remove the operator from the register to: (i) the person who nominated the operator; and  2.4 (4) The Safety Authority may remove an operator's name from the register if: (b) the Safety Authority has given notice of intention to remove the operator from the register to: (i) the owner or titleholder who nominated the operator; and
MoSOF	9(1)(a),(b),(c)		Facility description, formal safety assessment and safety management system	Y	9(1)(a),(b),(c) incorporated into the text for regulations 2.5(1),(2) and (3)  9(1) The safety case for a facility must contain: (a) a description of the facility that complies with subregulation (2); and (b) a detailed description of the formal safety assessment for the facility that provides evidence that the formal safety assessment complies with subregulation (3); and (c) a detailed description of the safety management system that provides evidence that the system complies with subregulation (4).  2.5(1) The safety case for a facility must contain a description of the facility that gives details of: 2.5(2) The safety case for the facility must also contain a detailed description of the formal safety assessment for the facility, being an assessment, or series of assessments, conducted by the operator that: 2.5(3) The safety case for the facility must also contain a detailed description of the safety management system that:

Old Regulation Title	Old Regulation Number	Offshore Petroleum Safety Regulations 2009 Number	Title in Offshore Petroleum Safety Regulations 2009	Change between Regulations Y/N	Change Description
MoSOF	9(2)(a),(b),(c),(d)	2.5(1)(a),(b),(c),(d)(i)(ii)(iii),(e)	Facility description, formal safety assessment and safety management system	Y	Negligible change in content between 9(2)(a),(b),(c),(d) and 2.5(1)(a),(b),(c),(e). MoSOF sub-regulation 9(1)(a) incorporated into the initial text and addition made for pipeline descriptions;  2.5(1) The safety case for a facility must contain a description of the facility that gives details of: (d) for a facility that is a pipeline: (i) the route corridor of the pipeline and the pipeline's interface start and end positions; and (ii) the compositions of petroleum that are to be conveyed through the pipeline when it is operating; and (iii) the safe operating limits for conveying those compositions through the pipeline; and
MoSOF	9(3)(a),(b),(c)	2.5(2)(a),(b),(c)	Facility description, formal safety assessment and safety management system	Y	Negligible change in content between 9(3)(a),(b),(c) and 2.5(2)(a),(b),(c). MoSOF sub-regulation 9(1)(b) incorporated into the initial text and the requirement to "provides evidence that" removed.
MoSOF	9(4)(a),(b),(c),(d)(i)(ii),(e)(i)(ii),(f),(g)(i)(ii)(iii)(iv),(h),(i)	2.5(3)(a),(b),(c),(d)(i)(ii),(e)(i)(ii),(f),(g)(i)(ii)(iii)(iv),(h),(i)	Facility description, formal safety assessment and safety management system	Y	Negligible change in content between 9(4)(a),(b),(c),(d)(i)(ii),(e)(i)(ii),(f),(g)(i)(ii)(iii)(iv),(h),(i) and 2.5(3)(a),(b),(c),(d)(i)(ii),(e)(i)(ii),(f),(g)(i)(ii)(iii)(iv),(h),(i). MoSOF sub-regulation 9(1)(c) incorporated into the initial text and the requirement to "provides evidence that" removed.
MoSOF	9(5)(a),(b),(c)	2.5(4)(a),(b),(c)	Facility description, formal safety assessment and safety management system	Y	Negligible change in content between 9(5)(a),(b),(c) and 2.5(4)(a),(b),(c). References to subregulations amended.
MoSOF	Division 1	Division 1	Contents of safety cases	N	
MoSOF	Division 1	Part 1	Preliminary	N	
MoSOF	Division 2	Division 2	Submission and acceptance of safety cases	N	
MoSOF	Division 2			Y	No longer applies in the OPS regs
MoSOF	Division 3	Division 3	Revised safety cases	N	
MoSOF	Division 3	Part 3	Safety cases	N	
MoSOF	Division 4	Division 4	Withdrawal of acceptance of a safety case	N	
MoSOF	Division 4	Part 2	Operators	N	
MoSOF	Division 5	Division 5	Exemptions	N	
MoSOF	Division 5			Y	No longer applies in the OPS regs
MoSOF	Part 1	Chapter 1	Preliminary	N	
MoSOF	Part 2	Part 1	Operators	N	
MoSOF	Part 3	Part 2	Safety cases	N	
MoSOF	Part 4	Part 3	Validation	N	
MoSOF	Part 5	Part 4	Notifying and reporting accidents and dangerous occurrences	N	
MoSOF	Part 6	Part 5	Penalty provisions	N	
MoSOF	Part 7	Part 6	Miscellaneous	N	
MoSOF	Part 8	Chapter 5	Transitional	Y	Removed term "provisions" from title.
MoSOF	Subdivision A	Subdivision A	Contents of a safety case	N	
MoSOF	Subdivision B	Subdivision B	Safety measures	N	
MoSOF	Subdivision C	Subdivision C	Emergencies	N	
MoSOF	Subdivision D	Subdivision D	Record keeping	N	
n/a		1.3	Repeal of regulations	Y	New section
N/A		1.4(4)	Objects	Y	New Section
N/A		1.4(5)	Objects	Y	New Section
N/A		1.4(6)	Objects	Y	New Section
n/a		1.6	Vessels or structures that are not facilities	Y	New Section
n/a		1.7	Vessels that are not associated offshore places	Y	New Section
n/a		Chapter 2	Offshore facilities	Y	OPS regs document structure requirement
n/a		2.2	Nomination of operator — shared petroleum facility	Y	New regulation
n/a		2.3(2)(a),(b),(c)	Acceptance or rejection of nomination of operator	Y	New sub-regulation
n/a		2.21(3)(a),(b),(c)	Pipes	Y	New Section

Old Regulation Title	Old Regulation Number	Offshore Petroleum Safety Regulations 2009 Number	Title in Offshore Petroleum Safety Regulations 2009	Change between Regulations Y/N	Change Description
N/A		2.30(2)	Revision of a safety case because of a change of circumstances or operations	Y	New section
N/A		2.35(3)	Notice of decision on revised safety case	Y	New section
N/A		2.43(2)	Facility must have registered operator	Y	New section
N/A		2.45(2)	Work on a facility must comply with the safety case	Y	New Section
N/A		2.46(2)	New health and safety risk	Y	New section
N/A		2.46(3)	New health and safety risk	Y	New section
n/a		Chapter 3	Occupational health and safety	Y	New section
n/a		Chapter 4	Diving	Y	New section
n/a		5.3(1)	Register of operators	Y	New section
N/A		5.3(2)(a),(b)	Register of operators	Y	New section
n/a		Part 4	Pipelines	Y	New section
n/a		5.6	Existing pipeline management plans remain in force	Y	New section
n/a		5.7	Application for acceptance of pipeline management plans or revised pipeline management plans made before 1 January 2010	Y	New section
n/a		5.8	Operator of a pipeline before 1st January 2010	Y	New section
N/A		5.9	Register of DSMSs and revised DSMSs	Y	New Section
N/A		5.11	Application for acceptance of DSMS or revised DSMS made before 1 January 2010	Y	New section
n/a		Part 6	Administrative actions taken before 1 January 2010	Y	New section
n/a		5.14	Actions	Y	New section
n/a		Part 7	Exemptions from requirements in Part3 of Schedule 3 to the Act	Y	New section
n/a		5.15	Existing exemptions remain in force	Y	New section
n/a		5.16	Application for exemptions made before 1 January 2010	Y	New section
OHSR	1	1.1	Name of Regulations	Y	Regulation name change
OHSR	11	3.9	Number of votes	N	
OHSR	12	3.10	Right to secret ballot	N	
OHSR	14	3.12	Conduct of poll if no request made for secret ballot	N	
OHSR	15	3.13	If no candidate is elected	N	
OHSR	20	3.18	Scrutineers	N	
OHSR	21	3.19	Returning officer to be advised of scrutineers	N	
OHSR	36			Y	No longer applies in the OPS regs
OHSR	13(1)	3.11(1)	Conduct of poll by secret ballot	Y	No change apart from references correct regulation in the OPS regs.
OHSR	13(2)	3.11(2)	Conduct of poll by secret ballot	N	
OHSR	16(a),(b),(c)	3.14(a),(b),(c)	Ballot-papers	N	
OHSR	17(1)(a),(b)(i)(ii)	3.15(1)(a),(b)(i)(ii)	Distribution of ballot papers	N	
OHSR	17(2)(a),(b)	3.15(2)(a),(b)	Distribution of ballot papers	N	
OHSR	17(3)	3.15(3)	Distribution of ballot papers	N	
OHSR	18(1)	3.16(1)	Manner of voting by secret ballot	N	
OHSR	18(2)(a),(b),(c)(i)(ii)	3.16(2)(a),(b),(c)(i)(ii)	Manner of voting by secret ballot	Y	No change apart from references correct regulation in the OPS regs.
OHSR	18(3)(a),(b),(c),(d),(e),(f)	3.16(3)(a),(b),(c),(d),(e),(f)	Manner of voting by secret ballot	Y	No change apart from references correct regulation in the OPS regs.
OHSR	19(1)(a),(b)	3.17(1)(a),(b)	Envelopes given to returning officer	N	

Old Regulation Title	Old Regulation Number	Offshore Petroleum Safety Regulations 2009 Number	Title in Offshore Petroleum Safety Regulations 2009	Change between Regulations Y/N	Change Description
OHSR	19(2)	3.17(2)	Envelopes given to returning officer	N	
OHSR	1A	1.4	Objects	Y	Term used in the OHSR no longer contained within the relevant section of the OPS regs
OHSR	1B	1.9	Relationship with other regulations made under the Act	N	
OHSR	2(1)	1.5(1)	Definitions	Y	Section contains all previous definitions from OHSR. The definitions correctly reference the Act correctly. The facility and operator terms has changed from previous.
OHSR	2(2)	1.8(1)	Forms, notices and reports	Y	No change apart from references correct schedule in the OPS regs.
OHSR	22(1)(a),(b)	3.20(1)(a),(b)	Persons present at the count	N	
OHSR	22(2)(a),(b)	3.20(2)(a),(b)	Persons present at the count	N	
OHSR	22(3)	3.20(3)	Persons present at the count	N	
OHSR	22(4)	3.20(4)	Persons present at the count	N	
OHSR	22(5)	3.20(5)	Persons present at the count	N	
OHSR	23(1)	3.21(1)	Conduct of the count	N	
OHSR	23(1A)	3.21(2)	Conduct of the count	Y	No change apart from references correct regulation in the OPS regs.
OHSR	23(2)	3.21(3)	Conduct of the count	N	
OHSR	23(3)	3.21(4)	Conduct of the count	N	
OHSR	23(4)	3.21(5)	Conduct of the count	N	
OHSR	25(a),(b),(c),(d)	3.22(a),(b),(c),(d)	Informal ballot-papers	N	
OHSR	26(a),(b)	3.23(a),(b)	Completion of the count	N	
OHSR	27(a),(b)	3.24(a),(b)	Destruction of election material	Y	No change apart from references correct regulation in the OPS regs.
OHSR	28(1)(a),(b)	3.25(1)(a),(b)	Request for recount	Y	No change apart from references correct regulation in the OPS regs.
OHSR	28(2)(a),(b)	3.25(2)(a),(b)	Request for recount	N	
OHSR	29(1)	3.26(1)	Irregularities at election	Y	No change apart from references correct regulation in the OPS regs.
OHSR	29(2)(a),(b),(c)(i)(ii)	3.26(2)(a),(b),(c)(i)(ii)	Irregularities at election	N	
OHSR	29(3)	3.26(3)	Irregularities at election	Y	No change apart from references correct regulation in the OPS regs.
OHSR	3(1)	1.8(2)	Forms, notices and reports	N	
OHSR	3(2)(a),(b)	1.8(3)(a),(b)	Forms, notices and reports	N	
OHSR	3(3)	1.8(4)	Forms, notices and reports	N	
OHSR	30(1)(a),(b)	3.27(1)(a),(b)	Result of poll	N	
OHSR	30(2)	3.27(2)	Result of poll	Y	No change apart from references correct regulation in the OPS regs.
OHSR	31(a),(b),(c),(d),(e),(f),(g),(h)	3.28(a),(b),(c),(d),(e),(f),(g),(h)	OHS inspectors — identity cards	Y	No change apart from references correct clause in the Act.
OHSR	32(1)(a),(b),(c),(d),(e)	3.29(1)(a),(b),(c),(d),(e)	Taking samples for testing etc	Y	No change apart from references correct clause in the Act.
OHSR	32(2)	3.29(2)	Taking samples for testing etc	Y	No change apart from references correct clause in the Act.
OHSR	32(3)(a),(b),(c),(d)	3.29(3)(a),(b),(c),(d)	Taking samples for testing etc	Y	No change apart from references correct clause in the Act.
OHSR	33(a),(b),(c),(d),(e)	3.30(a),(b),(c),(d),(e)	Form of certain notices	Y	No change apart from references correct clauses in the Act.
OHSR	34(1)	3.31(1)	Orders under clause 46 of Schedule 3 to the Act	Y	No change apart from references correct clause in the Act.
OHSR	34(2)	3.31(2)	Orders under clause 46 of Schedule 3 to the Act	N	
OHSR	34(3)(a),(b)	3.31(3)(a),(b)	Orders under clause 46 of Schedule 3 to the Act	N	
OHSR	34(4)(a),(b)	3.31(4)(a),(b)	Orders under clause 46 of Schedule 3 to the Act	N	
OHSR	34(5)	3.31(5)	Orders under clause 46 of Schedule 3 to the Act	N	
OHSR	34A(1)	3.32(1)	Laws or parts of laws that do not apply	Y	References correct clause in the Act. Laws or parts of laws that do not apply for each state have changed between revisions . Refer to the new OPS regs for the relevant changes.
OHSR	34A(2)(a),(b),(c),(d)	3.(2)(a),(b),(c),(d)	Laws or parts of laws that do not apply	Y	No change apart from references correct clause in the Act.
OHSR	34A(3)	3.32(3)	Laws or parts of laws that do not apply	Y	No change apart from references correct clause in the Act.
OHSR	34A(4)	3.32(4)	Laws or parts of laws that do not apply	Y	No change apart from references correct clause in the Act.
OHSR	34A(5)	3.32(5)	Laws or parts of laws that do not apply	N	

Old Regulation Title	Old Regulation Number	Offshore Petroleum Safety Regulations 2009 Number	Title in Offshore Petroleum Safety Regulations 2009	Change between Regulations Y/N	Change Description
OHSR	35(2)	3.33(1)	Service of notices	Y	The term "For the purpose of Schedule" has been simplified to "For Schedule"  3.33(1) For Schedule 3 to the Act and these Regulations, a notice that is to be given to a body corporate may be given to a director, principal executive officer or secretary of the body corporate.
OHSR	35(3)(a),(b)(i)(ii)	3.33(2)(a),(b)(i)(ii)	Service of notices	Y	Regulation reworded and simplified.  35(3) For the purposes of Schedule 7 to the Act and these Regulations, a notice or report may be given to a person: (a) by electronic facsimile message transmitted to a facsimile facility that is installed at the address of the person last known to the person transmitting the message; and (b) by a message transmitted to a computer system that is known to be in use by the person and installed at the address of the person last known to the person transmitting the message, being a message that is: (i) in a form compatible with the computer system; and (ii) capable of being recorded by the computer system.  3.33(2) For Schedule 3 to the Act and these Regulations, a notice or report may be given to a person: (a) by fax message transmitted to a fax facility that is installed at the address of the person last known to the person transmitting the message; or (b) by an email sent to a computer system that is known to be in use by the person, being a message that is: (i) in a form compatible with the computer system; and (ii) capable of being recorded by the computer system.
OHSR	35(4)(a)(i)(ii),(b)	3.33(3)(a)(i)(ii),(b)	Service of notices	Y	Regulation reworded.  35(4) A person who gives notice or report to which subregulation (3) applies to another person: (a) must inform the other person by telephone: (i) before transmission of the message; or (ii) as soon as practicable after transmission of the message; of the fact that the message will be, or has been, transmitted; and (b) must send a copy of the notice or report by pre-paid post to the address of the other person last known to the first-mentioned person.  3.33(3) If a person gives the notice or report to another person, the person must: (a) inform the other person by telephone: (i) before transmission of the message; or (ii) as soon as practicable after transmission of the message; of the fact that the message will be, or has been, transmitted; and (b) send a copy of the notice or report by pre-paid post to the address of the other person last known to the first-mentioned person.
OHSR	4A(1)(a),(b),(c)(i)(ii)(iii)	3.1(1)(a),(b),(c)(i)(ii)(iii)	Avoiding fatigue	N	
OHSR	4A(2)(a),(b)	3.1(2)(a),(b)	Avoiding fatigue	N	
OHSR	4B(1)(a),(b)	3.2(1)(a),(b)	Possession or control of drugs or intoxicants	N	
OHSR	4B(2)	3.2(2)	Possession or control of drugs or intoxicants	N	
OHSR	4B(3)(a),(b)(i)(ii)(A)(B)(C)(iii)(iv)	3.2(3)(a),(b)(i)(ii)(A)(B)(C)(iii)(iv)	Possession or control of drugs or intoxicants	N	
OHSR	4C(1)	3.3(1)	Person must leave the facility when instructed to do so	N	
OHSR	4C(2)(a),(b)(i)(ii)	3.3(2)(a),(b)(i)(ii)	Person must leave the facility when instructed to do so	N	
OHSR	4D(1)(a),(b),(c)(i)(ii)(iii)	3.4(1)(a),(b),(c)(i)(ii)(iii)	Prohibition on the use of certain hazardous substances	N	
OHSR	4D(2)	3.4(2)	Prohibition on the use of certain hazardous substances	Y	No change apart from references correct schedule in the OPS regs.

Old Regulation Title	Old Regulation Number	Offshore Petroleum Safety Regulations 2009 Number	Title in Offshore Petroleum Safety Regulations 2009	Change between Regulations Y/N	Change Description
OHSR	4D(3)	3.4(3)	Prohibition on the use of certain hazardous substances	N	
OHSR	4D(4)	3.4(4)	Prohibition on the use of certain hazardous substances	Y	No change apart from references correct regulation in the OPS regs.
OHSR	4D(5)	3.4(5)	Prohibition on the use of certain hazardous substances	N	
OHSR	4E(1)(a),(b),(c)(i)(ii)(iii)	3.5(1)(a),(b),(c)(i)(ii)(iii)	Limitations on exposure to certain hazardous substances	N	
OHSR	4E(2)	3.5(2)	Limitations on exposure to certain hazardous substances	N	
OHSR	4E(3)	3.5(3)	Limitations on exposure to certain hazardous substances	N	
OHSR	4E(4)	3.5(4)	Limitations on exposure to certain hazardous substances	Y	No change apart from references correct regulation in the OPS regs.
OHSR	4E(5)(a),(b),(c)	3.5(5)(a),(b),(c)	Limitations on exposure to certain hazardous substances	Y	No change apart from references correct schedule in the OPS regs.
OHSR	4F(1)(a),(b),(c)(i)(ii)(iii)	3.6(1)(a),(b),(c)(i)(ii)(iii)	Exposure to noise	N	
OHSR	4F(2)	3.6(2)	Exposure to noise	N	
OHSR	4F(2A)(a),(b)(i)(ii)	3.6(3)(a),(b)(i)(ii)	Exposure to noise	Y	Addition of the term "published by the Australian Safety and Compensation Council," to the text of sub-regulation 3.6(3)(a).  3.6(3)(a) noise exposure is managed in a manner consistent with the provisions of the National Code of Practice for Noise Management and Protection of Hearing at Work [NOHSC: 2009 (2004)], published by the Australian Safety and Compensation Council, as existing from time to time; and
OHSR	4F(2B)	3.6(4)	Exposure to noise	Y	No change apart from references correct sub-regulation in the OPS regs.
OHSR	4F(3)	3.6(5)	Exposure to noise	N	
OHSR	4F(4)	3.6(6)	Exposure to noise	N	
OHSR	4F(5)	3.6(7)	Exposure to noise	N	
OHSR	4G(1)(a),(b),(c)(i)(ii)(iii)	3.7(1)(a),(b),(c)(i)(ii)(iii)	Exemptions from hazardous substances and noise requirements	N	
OHSR	4G(2)	3.7(2)	Exemptions from hazardous substances and noise requirements	Y	No change apart from references correct regulations in the OPS regs.
OHSR	4G(3)	3.7(3)	Exemptions from hazardous substances and noise requirements	N	
OHSR	4G(4)	3.7(4)	Exemptions from hazardous substances and noise requirements	N	
OHSR	6(1)	3.8(1)	Appointment of returning officer	Y	No change apart from references correct regulation in the Act.
OHSR	6(2)	3.8(2)	Appointment of returning officer	N	
OHSR	6(3)(a),(b)	3.8(3)(a),(b)	Appointment of returning officer	N	
OHSR	Division 1	Division 1	Returning officer	N	
OHSR	Division 2	Division 2	The poll	N	
OHSR	Division 3	Division 3	Polling by secret ballot	N	
OHSR	Division 4	Division 4	The count	N	
OHSR	Division 5	Division 5	Result of election	N	
OHSR	Form 1	Form 1	Provisional improvement notice	Y	No change apart from the following; 1) References the OPS regs and the Act correctly. 2) Requests to review an OHS inspectors decision are now made to Fair Work Australia.
OHSR	Form 2	Form 2	Notice of removal of plant or sample	Y	No change apart from the following; 1) References the OPS regs and the Act correctly. 2) Requests to review an OHS inspectors decision are now made to Fair Work Australia.
OHSR	Form 3	Form 3	Do not disturb notice	Y	No change apart from the following; 1) References the OPS regs and the Act correctly. 2) Requests to review an OHS inspectors decision are now made to Fair Work Australia.
OHSR	Form 4	Form 4	Prohibition notice	Y	Form changed. Refer to the new OPS regs for the current form.
OHSR	Form 5	Form 5	Improvement notice	Y	Form changed. Refer to the new OPS regs for the current form.
OHSR	Part 1	Chapter 1	Preliminary	N	

Old Regulation Title	Old Regulation Number	Offshore Petroleum Safety Regulations 2009 Number	Title in Offshore Petroleum Safety Regulations 2009	Change between Regulations Y/N	Change Description
OHSR	Part 1	Part 1	Interpretation	Y	The term "in situ" has changed in the OPS regs to the following:  in situ means: (a) in relation to a facility that contains asbestos — that the asbestos was fixed or installed in the facility: (i) before 1 January 2005; and (ii) in such a way that the asbestos does not constitute a risk to any person unless the asbestos is disturbed; and (b) in relation to an item of plant — that the asbestos was fixed or installed in the item of plant: (i) before 1 January 2005; and (ii) in such a way that the asbestos does not constitute a risk to any person unless the asbestos is disturbed.
OHSR	Part 2	Part 1	Health and safety	Y	Title change between regulations
OHSR	Part 2	Part 2	Permitted circumstances for using certain hazardous substances	N	
OHSR	Part 3	Part 2	Election of health and safety representatives	N	
OHSR	Part 3	Part 3	Permitted circumstances for using certain hazardous substances with carcinogenic properties	Y	No change apart from permitted circumstance 6 for item 304, Amosite (brown asbestos) has changed to the following;  6 Use of a facility that contains amosite, or use of an item of plant that is attached to a facility and that contains amosite, where: (a) the amosite is in situ; and (b) the use does not disturb the amosite
OHSR	Part 4	Part 3	Advice, investigations and inquiries	N	
OHSR	Part 4A	Part 4	Exemptions from the requirements in Part 3 of Schedule 3 to the Act	Y	References the Act correctly.
OHSR	Part 4B	Part 5	State and Northern Territory laws that do not apply	N	
OHSR	Part 5	Part 6	Miscellaneous	N	
OHSR	Part 6	Chapter 5	Transitional	N	
OHSR	Schedule 1	Schedule 3.1	Forms	N	
OHSR	Schedule 2	Schedule 3.2	Hazardous substances	N	